


GP® VOID VENT T-CONNECTOR


Stainless Steel Grill



FREE AIRFLOW
CAPACITY 7,000mm²

PLAN


BLOWN END, NO
COUPLING REQUIRED
FOR 110mm T.W. PIPE



ELEVATION

*BESPOKE HEIGHTS AVAILABLE


Aluminium Grill



FREE AIRFLOW
CAPACITY 7,000mm²


PLAN

BLOWN END, NO
COUPLING REQUIRED
FOR 110mm T.W. PIPE



ELEVATION

*BESPOKE HEIGHTS AVAILABLE



GP® GULLY VENT BOX

DRAWING TITLE

Juta GP® Accessories
Gully Vents and T-Connectors

DRAWING NUMBER

JUTA.GPA.001

NOTES

- Detail is Generic to Application so should be used as a guide not a specific installation detail.
- Gas venting design should be carried out by a suitably qualified person specific to the actual site risks.
- Gas protection should be independently verified in line with BS8485: 2015 +A1: 2019 and CIRIA C735: 2014
- All design decisions made by others that might have an impact on the gas and waterproof design performance should be brought to the attention of the design team and Juta UK Ltd. Final decisions and/or any recommendations should be approved by the design team and Juta UK Ltd.
- Dimensions are not to be scaled from this drawing. All written measurements are to be checked on site by the contractor
- All rights described in chapter IV of the copyright, design and patents act 1988 have been generally asserted

DRAWN BY

MS

CHECKED BY


PF

SCALE

Not to Scale

DATE

Dec 2019



MELTON GROVE WORKS
BLACKPOOL ROAD
LYTHAM
FY8 5PL

Tel: 01772 754177

